

SINCE 1982

JOLLY®

FLOW WITH CONFIDENCE

AN ISO 9001 : 2015 COMPANY

cPVC uPVC SWR AGRI



& PIPES FITTINGS

www.jollypipes.in

PRICE LIST

ABOUT US...

Jolly To ensure customer service & satisfaction by providing high-quality plastic pipes solutions through a ubiquitous distribution network, spreading product awareness and constantly improving manufacturing and operational efficiencies through systems and result oriented, competent manpower resources thereby creating sustained value for all our customers and stakeholders while.

At JOLLY, we specialize in the manufacturing and distribution of a diverse range of plastic products tailored to meet the evolving needs of residential, commercial, and industrial sectors. Our comprehensive product portfolio includes a wide spectrum of high-quality Pipe & Fittings products.



Our Mission

At JOLLY, our mission is to manufacture high-quality piping solutions that deliver superior performance, durability, and reliability across residential, commercial, agricultural, and industrial applications. Through advanced technology, stringent quality standards, and continuous innovation, we strive to provide efficient water management solutions, build lasting relationships with customers and partners, and contribute to sustainable infrastructure development while maintaining excellence in every aspect of our business.




Our Vision

At JOLLY, our vision is to become one of India's most trusted and preferred piping brands by setting new benchmarks in quality, innovation, and customer satisfaction. We aim to expand our presence across domestic and international markets through advanced and eco-friendly piping solutions, while fostering a culture of excellence, integrity, and continuous growth. By supporting modern infrastructure and sustainable development, we strive to create long-term value for our customers, employees, partners, and stakeholders, establishing JOLLY as a symbol of reliability and innovation in the piping industry.



Quality Policy

At JOLLY, quality is at the core of everything we do. We are committed to manufacturing reliable and high-performance piping solutions using premium-grade raw materials, advanced production technologies, and stringent quality control processes. Every product undergoes thorough inspection and testing to ensure consistent performance, dimensional accuracy, durability, and compliance with industry standards. Through continuous innovation, precision engineering, and an uncompromising focus on excellence, we strive to deliver piping solutions that offer long service life, maximum customer satisfaction, and complete confidence for every application.




cPVC PIPE & FITTINGS **FOR HOT & COLD WATER APPLICATION**

JOLLY cPVC pipes and fittings are manufactured from a specially formulated compound in accordance with Indian Standards. The pipes are made as per ISI and fittings are made as per ASTM D-2846. The pipes are supplied plain in 3 meters and 5 meters length, in SDR 11 and SDR 13.5 respectively. Applications: cPVC pipes and fittings are safe, long lasting and cost effective solution for hot and cold water supply in residential, commercial and public projects, high and low rise buildings, corporate houses & academic institutes and gas & solar heater application etc.


Features & Benefits:

- Smooth continuous flow of water due to smooth inner surface
- Low thermal expansion & conductivity
- Light weight & long service life.
- Easy to handle & installation
- Flame & smoke resistant
- Chemical Resistant
- Resilient & longer lasting
- Most cost-effective
- Service temperature up to 93 C

cPVC PLUMBING PIPE WEIGHT LIST



SIZE		SDR 11	
Inch	mm	3 mtr.	5 mtr.
½"	15 mm	0.380	0.600
¾"	20 mm	0.610	1.010
1"	25 mm	0.980	1.630
1 ¼"	32 mm	1.490	2.480
1 ½"	40 mm	2.050	3.415
2"	50 mm	3.500	5.830
2 ½"	65 mm	6.000	10.000
3"	80 mm	8.000	13.330



SIZE		SDR 13.5	
Inch	mm	3 mtr.	5 mtr.
½"	15 mm	0.300	0.500
¾"	20 mm	0.500	0.835
1"	25 mm	0.800	1.330
1 ¼"	32 mm	1.200	2.000
1 ½"	40 mm	1.700	2.830
2"	50 mm	2.900	4.830
2 ½"	65 mm	4.650	7.750
3"	80 mm	6.200	10.330

cPVC PLUMBING FITTINGS (As Per ASTM D-2846 SDR 11)



ELBOW 90°				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	100 x 8	800	12.00
1"	25	50 x 8	400	23.00
1 ¼"	32	25 x 8	200	43.00
1 ½"	40	15 x 8	120	68.00
2"	50	8 x 6	48	136.00
2 ½"	65	1	30	283.00
3"	80	1	18	397.00
1" x ¾"	25 x 20	60 x 6	360	23.00



TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	60 x 8	480	15.00
1"	25	35 x 7	245	32.00
1 ¼"	32	20 x 6	120	54.00
1 ½"	40	10 x 9	90	80.00
2"	50	5 x 7	35	177.00
2 ½"	65	1	20	383.00
3"	80	1	14	488.00



COUPLER				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	160 x 8	1280	7.50
1"	25	80 x 6	480	16.50
1 ¼"	32	45 x 6	270	29.00
1 ½"	40	20 x 10	200	41.00
2"	50	14 x 7	98	83.00
2 ½"	65	1	60	163.00
3"	80	1	36	217.00



FEMALE THREADED ADAPTOR (PLASTIC)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	75 x 12	900	12.00
1"	25	50 x 8	400	24.00
1 ¼"	32	35 x 6	210	40.00
1 ½"	40	25 x 6	150	58.00
2"	50	12 x 6	72	106.00
¾" x ½"	20 x 15	125 x 8	1000	14.00



MALE THREADED ADAPTOR (PLASTIC)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	100 x 12	1200	10.00
1"	25	80 x 8	640	17.00
1 ¼"	32	40 x 6	240	30.00
1 ½"	40	25 x 6	150	44.00
2"	50	16 x 6	96	82.00
¾" x ½"	20 x 15	175 x 8	1400	11.00



END CAP				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	100 x 18	1800	5.50
1"	25	70 x 14	980	11.50
1 ¼"	32	80 x 7	560	21.00
1 ½"	40	40 x 8	320	40.00
2"	50	25 x 6	150	65.00



ELBOW 45°				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	100 x 7	700	14.00
1"	25	50 x 8	400	18.00
1 ¼"	32	35 x 6	210	34.00
1 ½"	40	20 x 8	160	51.00



CROSS TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	60 x 6	360	23.00
1"	25	25 x 8	200	36.00
1 ¼"	32	15 x 6	90	62.00



UNION				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	50 x 8	400	30.00
1"	25	35 x 6	210	53.00
1¼"	32	20 x 6	120	81.00
1½"	40	15 x 6	90	118.00
2"	50	6 x 8	48	211.00



REDUCER BUSH				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1" x ¾"	25 x 20	50 x 24	1200	8.00
1¼" x ¾"	32 x 20	50 x 14	700	19.00
1¼" x 1"	32 x 25	50 x 14	700	13.00
1½" x ¾"	40 x 20	80 x 6	480	27.00
1½" x 1"	40 x 25	80 x 6	480	29.00
1½" x 1¼"	40 x 32	80 x 6	480	17.00



REDUCER TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1" x ¾"	25 x 20	35 x 8	280	28.00
1¼" x ¾"	32 x 20	20 x 6	120	46.00
1¼" x 1"	32 x 25	20 x 6	120	50.00
1½" x ¾"	40 x 20	15 x 6	90	71.00
1½" x 1"	40 x 25	15 x 6	90	73.00
1½" x 1¼"	40 x 32	15 x 6	90	78.00
2" x ¾"	50 x 20	5 x 10	50	156.00
2" x 1"	50 x 25	5 x 10	50	158.00
2" x 1¼"	50 x 32	5 x 10	50	160.00
2" x 1½"	50 x 40	5 x 10	50	168.00
2½" x 2"	65 x 50	-	-	430.00
3" x 2"	80 x 50	-	-	525.00



REDUCER COUPLER				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾" x ½"	20 x 15	100 x 14	1400	8.00
1" x ¾"	25 x 20	100 x 6	600	14.00
1¼" x ¾"	32 x 20	50 x 8	400	21.00
1¼" x 1"	32 x 25	50 x 7	350	23.00
1½" x ¾"	40 x 20	20 x 14	280	32.00
1½" x 1"	40 x 25	15 x 14	210	36.00
1½" x 1¼"	40 x 32	30 x 6	180	38.00
2" x ¾"	50 x 20	10 x 8	80	60.00
2" x 1"	50 x 25	10 x 8	80	63.00
2" x 1¼"	50 x 32	10 x 8	80	66.00
2" x 1½"	50 x 40	10 x 8	80	72.00



SOCKET TANK NIPPLE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	50 x 8	400	37.00
1"	25	30 x 8	240	44.00
1¼"	32	15 x 10	150	70.00
1½"	40	15 x 8	120	96.00
2"	50	8 x 10	80	144.00



LONG BEND				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	20 x 10	200	40.00
1"	25	10 x 10	100	60.00
1¼"	32	50	150	105.00
1½"	40	32	96	156.00
2"	50	15	45	272.00



STEP OVER BEND				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	20 x 11	220	48.00
1"	25	15 x 8	120	55.00
1¼"	32	70	70	119.00
1½"	40	60	60	180.00
2"	50	50	50	258.00




TRANSACTION BUSH U TO C				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾" x ¾"	20 x 20	50 x 24	1200	6.75
1" x 1"	25 x 25	50 x 14	700	9.50
1" x ¾"	25 x 20	50 x 14	700	17.00



BALL VALVE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	1	168	120.00
1"	25	1	92	171.00
1¼"	32	1	62	358.00
1½"	40	1	40	570.00
2"	50	1	25	780.00



THREADED TANK NIPPLE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	50 x 8	400	40.00
1"	25	30 x 8	240	60.00



BRASS ELBOW				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	35 x 4	140	90.00
1"	25	18 x 3	54	158.00
¾" x ½"	20 x 15	40 x 4	160	58.00
1" x ½"	25 x 15	30 x 4	120	67.00
1" x ¾"	25 x 20	25 x 4	100	100.00



BRASS TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	20 x 3	60	90.00
1"	25	15 x 4	60	158.00
¾" x ½"	20 x 15	30 x 4	120	60.00
1" x ½"	25 x 15	20 x 4	80	77.00
1" x ¾"	25 x 20	18 x 4	72	103.00



BRASS MTA				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	30 x 6	180	114.00
1"	25	20 x 4	80	203.00
1¼"	32	10 x 6	60	258.00
1½"	40	10 x 4	40	475.00
2"	50	5 x 4	20	678.00
¾" x ½"	20 x 15	40 x 6	240	89.00
1" x ½"	25 x 15	40 x 4	160	100.00
1" x ¾"	25 x 20	25 x 6	150	117.00



BRASS FTA				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	35 x 6	210	83.00
1"	25	25 x 4	100	147.00
1¼"	32	15 x 5	75	225.00
1½"	40	12 x 4	48	282.00
2"	50	5 x 4	20	451.00
¾" x ½"	20 x 15	50 x 4	200	60.00
1" x ½"	25 x 15	40 x 4	160	63.00
1" x ¾"	25 x 20	30 x 4	120	87.00



BRASS MTA (HEXAGON)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	50 x 4	200	163.00
1"	25	25 x 5	125	255.00
¾" x ½"	20 x 15	50 x 4	200	125.00
1" x ½"	25 x 15	40 x 4	160	135.00



BRASS FTA (HEXAGON)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	50 x 4	200	159.00
1"	25	40 x 4	160	275.00
¾" x ½"	20 x 15	50 x 4	200	135.00
1" x ½"	25 x 15	40 x 4	160	145.00



CONCEALED VALVE QUARTER TURN(SHORT BODY)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	1	50	-



CONCEALED VALVE QUARTER TURN(LONG BODY)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾"	20	1	50	767.00



cPVC SOLVENT CEMENT		
Qty.	Packing in Box	Rate Per Pc.
59 ML	48	93.00
118 ML	24	150.00
237 ML	15	255.00



WALL MIXER ADAPTER 6"				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾" x ½"	20 x 15	1	50	237.00



uPVC PIPE & FITTINGS **FOR COLD WATER APPLICATION**

JOLLY uPVC pipes & fittings are made as per ASTM (American Society for Testing of materials) standards. The pipes are made as per ASTM D-1785 and fittings are made as per ASTM D-2467. The pipes are supplied in 3 meters and 6 meters length, in SCH 40 and SCH 80 respectively. Applications: This system is designed for normal water application and it is an ideal solution for potable water distribution, plumbing and water supply in residential complexes, commercial & industrial building, public utilities, hotels, hospitals & swimming pools.

Features & Benefits:

- Excellent resistance to corrosion and chemical attacks
- Maintenance-free & easy to install
- Simple and leak proof joint
- Better insulation properties
- Designed to last for ages
- Most cost-effective
- Low thermal conductivity
- UV resistant
- Service temperature up to 60°C

	SIZE		uPVC (3 Mtr.)	
	Inch	mm	40 SCH	80 SCH
	½"	15 mm	0.750	0.900
	¾"	20 mm	1.000	1.250
	1"	25 mm	1.450	1.750
	1 ¼"	32 mm	2.000	2.500
	1 ½"	40 mm	2.500	3.000
	2"	50 mm	3.000	4.000
	2 ½"	65 mm	4.800	6.500
	3"	80 mm	6.000	8.500
	4"	100 mm	9.000	13.000

uPVC PLUMBING FITTINGS (As Per ASTM D-2467 SCH 80)

	ELBOW 90°				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
	½"	15	100 x 6	600	5.75
	¾"	20	50 x 7	350	9.25
	1"	25	40 x 5	200	14.50
	1 ¼"	32	25 x 5	125	32.25
	1 ½"	40	15 x 6	90	42.00
	2"	50	10 x 5	50	64.50
	2 ½"	65	6 x 7	42	130.00
	3"	80	4 x 6	24	180.00

	TEE				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
	½"	15	50 x 8	400	8.75
	¾"	20	25 x 10	250	12.75
	1"	25	25 x 6	150	20.00
	1 ¼"	32	15 x 5	75	45.00
	1 ½"	40	12 x 4	48	54.50
	2"	50	7 x 5	35	84.00
	2 ½"	65	4 x 7	28	185.00
	3"	80	3 x 6	18	240.00

	COUPLER				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
	½"	15	100 x 8	800	4.75
	¾"	20	100 x 5	500	7.00
	1"	25	50 x 6	300	10.25
	1 ¼"	32	25 x 7	175	19.00
	1 ½"	40	25 x 5	125	27.00
	2"	50	15 x 5	75	38.50
	2 ½"	65	10 x 5	50	76.00
	3"	80	6 x 7	42	104.00

	END CAP				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
	½"	15	100 x 15	1500	2.75
	¾"	20	100 x 7	700	4.00
	1"	25	50 x 12	600	6.25
	1 ¼"	32	25 x 10	250	17.50
	1 ½"	40	25 x 8	200	18.50
	2"	50	20 x 7	140	29.00

	PLAIN MALE				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
	½"	15	100 x 10	1000	3.75
	¾"	20	50 x 12	600	5.75
	1"	25	50 x 8	400	8.75
	1 ¼"	32	25 x 9	225	17.25
	1 ½"	40	30 x 5	150	23.50
	2"	50	20 x 5	100	33.25

	PLAIN FEMALE				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
	½"	15	100 x 9	900	4.75
	¾"	20	100 x 5	500	8.00
	1"	25	50 x 6	300	11.25
	1 ¼"	32	40 x 5	200	22.75
	1 ½"	40	30 x 4	120	28.75
	2"	50	10 x 9	90	35.75

	REDUCER ELBOW				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
	¾" x ½"	20 x 15	50 x 8	400	12.00
	1" x ½"	25 x 15	50 x 5	250	16.25
	1" x ¾"	25 x 20	50 x 5	250	17.50

	CROSS TEE				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
	½"	15	40 x 7	280	14.75
	¾"	20	25 x 7	175	18.25
	1"	25	20 x 5	100	30.00



UNION				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
½"	15	50 x 8	400	17.75
¾"	20	30 x 8	240	27.50
1"	25	25 x 6	150	32.00
1 ¼"	32	20 x 5	100	56.00
1 ½"	40	10 x 6	60	79.00
2"	50	6 x 6	36	85.00



ELBOW 45°				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
½"	15	100 x 6	600	7.00
¾"	20	50 x 8	400	11.00
1"	25	30 x 8	240	18.00
1 ¼"	32	20 x 6	120	30.00
1 ½"	40	15 x 6	90	38.00
2"	50	10 x 5	50	58.00



SOCKET TANK NIPPLE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
½"	15	50 x 10	500	11.50
¾"	20	50 x 6	300	18.00
1"	25	25 x 8	200	25.50
1 ¼"	32	20 x 6	120	42.00
1 ½"	40	15 x 6	90	51.00
2"	50	10 x 5	50	69.00



THREADED TANK NIPPLE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
½"	15	50 x 8	400	15.00
¾"	20	50 x 6	300	22.00
1"	25	25 x 7	175	30.00
1 ¼"	32	20 x 6	120	48.00
1 ½"	40	15 x 5	75	62.00
2"	50	10 x 5	50	84.00



REDUCER TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾" x ½"	20 x 15	40 x 6	240	17.75
1" x ½"	25 x 15	25 x 7	175	18.00
1" x ¾"	25 x 20	40 x 4	160	18.25
1 ¼" x ¾"	32 x 20	10 x 8	80	42.25
1 ¼" x 1"	32 x 25	10 x 8	80	45.00
1 ½" x ½"	40 x 15	10 x 5	50	50.00
1 ½" x ¾"	40 x 20	10 x 5	50	54.50
1 ½" x 1"	40 x 25	10 x 5	50	52.50
1 ½" x 1 ¼"	40 x 32	10 x 5	50	60.00
2" x ½"	50 x 15	6 x 6	36	94.50
2" x ¾"	50 x 20	6 x 6	36	98.50
2" x 1"	50 x 25	6 x 6	36	100.00
2" x 1 ¼"	50 x 32	6 x 5	30	105.00
2" x 1 ½"	50 x 40	6 x 5	30	107.00
2 ½" x 2"	65 x 50	4 x 7	28	172.00
3" x 2"	80 x 50	3 x 6	18	220.00



REDUCER COUPLER				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
¾" x ½"	20 x 15	50 x 10	500	6.25
1" x ½"	25 x 15	50 x 7	350	8.75
1" x ¾"	25 x 20	50 x 7	350	10.00
1 ¼" x ½"	32 x 15	25 x 7	175	25.00
1 ¼" x ¾"	32 x 20	25 x 7	175	26.00
1 ¼" x 1"	32 x 25	25 x 7	175	27.00
1 ½" x ½"	40 x 15	20 x 6	120	28.00
1 ½" x ¾"	40 x 20	20 x 6	120	30.00
1 ½" x 1"	40 x 25	20 x 6	120	30.50
1 ½" x 1 ¼"	40 x 32	20 x 6	120	32.00
2" x 1"	50 x 25	15 x 6	90	37.00
2" x 1 ¼"	50 x 32	15 x 6	90	38.50
2" x 1 ½"	50 x 40	15 x 6	90	39.00
2 ½" x 2"	65 x 50	10 x 6	60	72.00
3" x 2"	80 x 50	1	60	90.00



STEP OVER BEND				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
½"	15	16	-	21.50
¾"	20	12	-	29.50
1"	25	10	-	41.50
1 ¼"	32	-	-	78.00
1 ½"	40	-	-	98.50
2"	50	-	-	135.50



LONG BEND				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
½"	15	25	-	18.50
¾"	20	20	-	24.50
1"	25	15	-	34.50
1 ¼"	32	10	-	62.50
1 ½"	40	8	-	78.50
2"	50	1	-	116.50



THREADED ELBOW				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
½"	15	100 x 6	600	8.50



LONG PLUG				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
½"(Black)	15	100 x 50	5000	1.25
½"(White)	15	100 x 50	5000	2.25

uPVC PLUMBING FITTINGS (As Per ASTM D-2467 SCH 80)



REDUCER BUSH					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
¾" x ½"	20 x 15	100 x 12	1200	3.75	
1" x ½"	25 x 15	100 x 7	700	8.50	
1" x ¾"	25 x 20	100 x 7	700	8.75	
1¼" x ¾"	32 x 20	25 x 10	250	14.00	
1¼" x 1"	32 x 25	25 x 10	250	14.75	
1½" x ½"	40 x 15	25 x 10	250	17.00	
1½" x ¾"	40 x 20	25 x 10	250	18.25	
1½" x 1"	40 x 25	25 x 10	250	19.00	
1½" x 1¼"	40 x 32	25 x 10	250	20.00	
2" x ½"	50 x 15	40 x 7	280	28.75	
2" x ¾"	50 x 20	40 x 7	280	31.25	
2" x 1"	50 x 25	40 x 7	280	32.50	
2" x 1¼"	50 x 32	40 x 7	280	33.00	
2" x 1½"	50 x 40	36 x 7	252	34.00	



BALL VALVE (LH)					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
½"	15	-	490	55.00	
¾"	20	-	354	73.00	
1"	25	-	210	102.00	
1¼"	32	-	1	185.00	
1½"	40	-	1	230.00	
2"	50	-	1	340.00	



BALL VALVE THREADED (SH)					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
½"	15	1	-	77.75	
¾"	20	1	-	103.75	
1"	25	1	-	129.75	



BALL VALVE THREADED (LH)					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
½"	15	1	-	80.00	
¾"	20	1	-	107.00	
1"	25	1	-	135.00	



BALL VALVE (SH)					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
½"	15	1	498	52.50	
¾"	20	1	370	71.25	
1"	25	1	222	99.00	
1¼"	32	1	124	164.50	
1½"	40	1	84	213.25	
2"	50	1	57	317.50	




UPVC SOLVENT CEMENT		
Qty.	Packing in Box	Rate Per Pc.
59 ML	48	62.00
118 ML	24	102.00
237 ML	15	180.00

uPVC BRASS FITTINGS (As Per ASTM D-2467 SCH 80)




BRASS ELBOW					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
½"	15	50 x 10	500	36.50	
¾"	20	50 x 4	200	67.50	
1"	25	25 x 4	100	107.50	
¾"x½"	20x15	50 x 4	200	40.50	
1"x½"	25x15	25 x 5	125	43.75	
1"x¾"	25x20	25 x 5	125	69.50	



BRASS TEE					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
½"	15	50 x 4	200	37.00	
¾"	20	25 x 5	125	73.00	
1"	25	25 x 3	75	117.00	
¾"x½"	20x15	40 x 4	160	43.00	
1"x½"	25x15	25 x 4	100	49.00	
1"x¾"	25x20	25 x 3	75	79.00	



BRASS M.T.A.					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
½"	15	50 x 6	300	56.00	
¾"	20	40 x 6	240	89.00	
1"	25	30 x 4	120	127.00	
1¼"	32	12 x 4	48	287.00	
1½"	40	12 x 4	48	328.00	
2"	50	9 x 3	27	586.00	
¾"x½"	20x15	50 x 5	250	55.75	
1"x½"	25x15	50 x 4	200	62.25	
1"x¾"	25x20	25 x 6	150	65.75	



BRASS F.T.A.					
Size		Pkg. Bag	Master Pkg.	Rate	
Inch	mm				
½"	15	50 x 7	350	33.50	
¾"	20	50 x 5	250	63.50	
1"	25	50 x 3	150	100.75	
1¼"	32	16 x 4	64	200.00	
1½"	40	12 x 4	48	222.00	
2"	50	9 x 3	27	465.00	
¾"x½"	20x15	50 x 5	250	35.25	
1"x½"	25x15	50 x 4	200	37.75	
1"x¾"	25x20	50 x 4	200	64.00	



SWR PIPE & FITTINGS

JOLLY SWR Systems are the ideal solution for drainage & sewerage applications, owing to its superior properties compared to conventional drainage systems. The Pipes are supplied in 3 meters and 6 meters length. The Pipes and Fittings are available in 40mm to 160mm (1 1/2" to 6") Applications: Topline SWR Drainage Systems in residential, commercial & public projects, high & low rise buildings, corporate offices, hospitals, hotels & academic institutes.

Features & Benefits:

- 100% leak-proof joints
- High flow rates no choking.
- A high degree of dimensional accuracy
- UV stabilized
- Light weight, easy to handle & transport
- Quick and convenient installation
- High chemical resistance
- Cost-effective
- Strong and durable
- Maintenance-free

SWR PIPE (RING FIT) - ISI



SWR RING FIT - TYPE - A			
Size		Weight (Kg)	
Inch	mm		
2½"	75	1.800	
3"	90	2.600	
4"	110	3.500	
6"	160	6.500	



SWR RING FIT - TYPE - B			
Size		Weight (Kg)	
Inch	mm		
2½"	75	3.200	
3"	90	-	
4"	110	5.100	
6"	160	-	

SWR FITTINGS (RING FIT) - ISI



BEND 87.5°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	60	66.00
3"	90	60	92.00
4"	110	36	124.00
6"	160	12	330.00



BEND 87.5° (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	48	95.00
3"	90	56	131.00
4"	110	30	165.00
6"	160	10	382.00



SHOE BEND 45°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	80	52.50
3"	90	48	73.50
4"	110	44	103.00
6"	160	-	-



SINGLE TEE 87.5°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	72	89.00
3"	90	45	133.00
4"	110	24	174.00
6"	160	10	455.00



SINGLE TEE (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	50	116.00
3"	90	35	168.00
4"	110	24	200.00
6"	160	10	490.00



COUPLER			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	75	50.00
3"	90	60	68.00
4"	110	60	89.00
6"	160	-	-



SINGLE - Y			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	30	105.00
4"	90	20	220.00



SINGLE - Y (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	24	128.00
4"	90	16	260.00



REDUCER TEE 87.5°			
Size		Std. Packing	Rate
Inch	mm		
3" x 2½"	90 x 75	45	121.00
6" x 4"	160 x 110	10	390.00



REDUCER COUPLER			
Size		Std. Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	60	101.00

SWR PIPE (SELF FIT) - ISI

SWR RING FIT - TYPE - A			
Size		Weight (Kg)	
Inch	mm		
2½"	75	1.800	
3"	90	2.600	
4"	110	3.500	
6"	160	6.500	

SWR FITTINGS (SELF FIT) - ISI

BEND 87.5°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	60	57.00
3"	90	63	80.00
4"	110	40	113.00
6"	160	12	300.00

SHOE BEND 45°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	92	46.00
3"	90	48	64.00
4"	110	52	92.00
6"	160	-	-

SINGLE TEE (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	50	98.00
3"	90	35	150.00
4"	110	24	182.00
6"	160	10	444.00

SINGLE - Y			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	30	96.00
4"	90	20	195.00

REDUCER TEE 87.5°			
Size		Std. Packing	Rate
Inch	mm		
3" x 2½"	90 x 75	45	105.00
6" x 4"	160 x 110	10	362.00

SWR RING FIT - TYPE - B			
Size		Weight (Kg)	
Inch	mm		
2½"	75	3.200	
3"	90	-	
4"	110	5.100	
6"	160	-	

BEND 87.5° (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	48	88.00
3"	90	60	120.00
4"	110	32	158.00
6"	160	10	360.00

SINGLE TEE 87.5°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	72	76.00
3"	90	45	121.00
4"	110	24	157.00
6"	160	10	418.00

COUPLER			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	86	37.00
3"	90	65	51.00
4"	110	68	72.00
6"	160	-	-

SINGLE - Y (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	24	114.00
4"	90	16	233.00

REDUCER COUPLER			
Size		Std. Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	60	80.00

SWR PIPE (RING FIT)



SWR RING FIT - TYPE - A			
Size		Weight (Kg)	
Inch	mm		
2½"	75	1.700	
3"	90	2.500	
4"	110	3.200	
6"	160	6.000	



SWR RING FIT - TYPE - B			
Size		Weight (Kg)	
Inch	mm		
2½"	75	-	
3"	90	-	
4"	110	-	
6"	160	-	

SWR FITTINGS (RING FIT)



BEND 87.5°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	96	44.00
4"	110	40	86.00



BEND 87.5° (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	90	61.00
4"	110	33	113.00



SINGLE TEE			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	66	65.00
4"	110	24	120.00
4" x 2½"	110 x 75	34	116.00



SINGLE TEE (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	51	90.00
4"	110	20	170.00
4" x 2½"	110 x 75	20	160.00



SHOE BEND 45°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	96	50.00
4"	110	48	75.00



DOUBLE TEE			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	45	94.00
4"	110	16	177.00



COUPLER			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	180	39.00
4"	110	68	69.00
4" x 2½"	110 x 75	60	68.00



CLEANSING PIPE			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	82	84.00
4"	110	30	150.00



SINGLE - Y			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	56	86.00
4"	110	19	175.00
4" x 2½"	110 x 75	20	200.00



SINGLE - Y (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	54	104.00
4"	110	16	198.00
4" x 2½"	110 x 75	16	237.00



DOUBLE Y			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	20	143.00
4"	110	12	319.00



DOOR CAP			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	200	15.00
4"	110	125	25.00

SWR PIPE (SELF FIT)

SWR SELF FIT - TYPE - A			
Size		Weight (Kg)	
Inch	mm		
2½"	75	1.700	
3"	90	2.500	
4"	110	3.200	
6"	160	6.000	

SWR SELF FIT - TYPE - B			
Size		Weight (Kg)	
Inch	mm		
2½"	75	-	
3"	90	-	
4"	110	-	
6"	160	-	

SWR FITTINGS (SELF FIT)

BEND 87.5°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	110	36.00
4"	110	40	73.00

DOOR BEND 87.5°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	90	53.00
4"	110	33	100.00

SINGLE TEE 87.5°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	66	53.00
4"	110	24	104.00
4" X 2½"	110 X 75	34	96.00

SINGLE TEE (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	60	77.00
4"	110	20	140.00
4" X 2½"	110 X 75	20	135.00

SHOE BEND 45°			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	100	34.00
4"	110	60	65.00

DOUBLE TEE			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	51	73.00
4"	110	18	144.00

COUPLER			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	180	29.00
4"	110	76	54.00
4" X 2½"	110 X 75	60	56.00

CLEANSING PIPE			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	82	75.00
4"	110	30	132.00

SINGLE - Y			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	60	74.00
4"	110	19	141.00
4" X 2½"	110 x 75	20	196.00

SINGLE - Y (DOOR)			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	54	86.00
4"	110	16	173.00
4" X 2½"	110 X 75	16	230.00

DOUBLE Y			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	20	120.00
4"	110	12	284.00



P - TRAP			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 4"	110 x 110	20	195.00
5" x 4"	125 x 110	20	218.00



Q - TRAP			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 4"	110 x 110	15	293.00
5" x 4"	125 x 110	15	311.00



P - TRAP - ISI			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 4"	110 x 110	17	269.00
5" x 4"	125 x 110	17	275.00



Q - TRAP - ISI			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 4"	110 x 110	15	352.00
5" x 4"	125 x 110	15	367.00



S - TRAP			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 4"	110 x 110	12	356.00
5" x 4"	125 x 110	12	393.00




MULTI FLOOR TRAP WITHOUT JALI			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 2½"	110 x 75	40	119.00



GALI TRAP WITH SQUARE JALI			
Size		Pkg. Bag	Rate
Inch	mm		
4"	110	18	279.00



SOCKET PLUG			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	115	25.00
4"	110	75	42.00



SQUARE JALI			
Size		Pkg. Bag	Rate
Inch	mm		
4"	110	180	39.00



ROUND JALI			
Size		Pkg. Bag	Rate
Inch	mm		
4"	110	100	16.50




NAHANI TRAP WITHOUT JALI			
Size		Pkg. Bag	Rate
Inch	mm		
4 x 1½	110 x 50	50	67.00
4 x 2	110 x 63	55	70.00
4 x 2½	110 x 75	60	84.00
4 x 3	110 x 90	50	95.00
4 x 4	110 x 110	40	104.00



VENT COWL			
Size		Std. Packing	Rate
Inch	mm		
2"	63	225	11.75
2½"	75	144	17.75
3"	90	105	21.75
4"	110	154	25.00
5"	140	-	55.00
6"	160	-	80.00



RUBBER RING			
Size		Std. Packing	Rate
Inch	mm		
2½"	75	2000	4.50
3"	90	1500	6.50
4"	110	1000	7.00
6"	160	500	17.00



PIPE CLIP PP			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	480	14.00
4"	110	180	19.00



AGRI PIPE & FITTINGS

JOLLY AGRI PIPES is self-socketed in one end and plain on other ends. This allows for a snug fit, without the use of any couplers. The strong solvent cement joint is permanent and trouble-free. This eliminates the inconvenience of loose couplers and thereby saves both time and cost.

Applications: Water supply & distribution schemes, Irrigation, drinking water supply & distribution, cable ducting & ventilation pipe line.

Features & Benefits:

- Light weight, easy to transport, store, handle and install. saves labour,
- Solvent cement joint therefore quick installation.
- Cost effective. Added value for your money
- Smooth bore ensures higher flow compared to G.I pipes and fittings of the same size. No clogging. Saves operational cost.
- Long working life

AGRICULTURE PIPE WEIGHT LIST - NON ISI

SIZE (Inch)	6kgf/ cm2	10kgf/ cm2	Super	Heavy Super
½"	-	-	1.000	1.500
¾"	-	-	1.400	2.000
1"	-	-	1.800	3.000
1¼"	-	2.000	3.000	
1½"	2.000	3.000	4.000	
2"	2.700 3.000	4.000		
2½"	3.700 4.000	5.000		
3"	5.000	6.000 7.000		
4"	6.600 7.000	8.000 9.000 10.000		
5"	10.000	12.000 15.000 17.000		
6"	12.500 13.000	15.000 17.000 20.000		
7"	18.000	23.000		
8"	20.000 22.500 25.000	30.000 35.000 40.000 45.000 50.000		
9"	35.000 40.000	55.000		
10"	40.000	60.000		
12"	60.000			

AGRICULTURE PIPE WEIGHT LIST - ISI

SIZE (Inch)	2.5kgf/ cm2	4kgf/ cm2	6kgf/ cm2
½"	-	-	-
¾"	-	-	-
1"	-	-	-
1¼"	-	-	1.700
1½"	-	-	2.600
2"	-	2.800	4.000
2½"	-	3.900	5.500
3"	-	5.400	8.000
4"	5.500	7.900	11.000
5"	8.500	13.000	19.000
6"	11.000	17.000	24.000
7"	14.000	21.850	31.300
8"	17.000	27.000	38.000
9"	22.000	33.500	49.000
10"	27.000	41.000	61.000
12"	43.000	67.000	97.000

AGRICULTURE FITTINGS

	ELBOW 10kg/cm²			
	Size (mm)	Size (inc)	Std. (Packing)	List (Price)
	20	½	100 x 10 = 1000	4.75
	25	¾	60 x 10 = 600	7.50
	32	1	45 x 7 = 315	12.00
	ELBOW 6kg/cm²			
	40	1¼	160	18.00
	50	1½	85	28.00
	63	2	60	50.00
	75	2½	40	55.00
	90	3	36	90.00
	110	4	35	145.00
	140	5	12	305.00
	160	6	6	400.00
	200	8	4	515.00

	TEE 10kg/cm²			
	Size (mm)	Size (inc)	Std. (Packing)	List (Price)
	20	½	70 x 10 = 700	6.75
	25	¾	45 x 10 = 450	10.50
	32	1	25 x 10 = 250	15.25
	TEE 6kg/cm²			
	40	1¼	65	25.00
	50	1½	56	45.00
	63	2	36	65.00
	75	2½	50	95.00
	90	3	24	125.00
	110	4	26	170.00
	140	5	9	390.00
	160	6	5	570.00
	200	8	-	911.00



ELBOW 6kg (SMILE)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	100	36.00
75	2½	70	45.00
90	3	36	70.00
110	4	36	108.00
ELBOW 4kg/cm²			
40	1¼	200	11.50
50	1½	120	18.75
63	2	110	26.50
75	2½	70	36.00
90	3	75	43.50
110	4	40	80.00
140	5	18	153.00
160	6	12	180.00
ELBOW (LW)			
63	2	252	21.00
75	2½	150	25.00
90	3	88	36.00
110	4	40	60.00



TEE 6kg (SMILE)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	36	45.00
75	2½	50	60.00
90	3	24	95.00
110	4	26	128.00
TEE 4kg/cm²			
40	1¼	140	18.00
50	1½	96	22.50
63	2	72	36.00
75	2½	84	48.50
90	3	50	61.00
110	4	26	110.00
140	5	12	194.00
160	6	10	291.50
TEE (LW)			
63	2		30.00
75	2½		40.00
90	3	55	52.00
110	4	32	90.00



MTA 10kg/cm²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	140 x 10 = 1400	3.25
25	¾	100 x 10 = 1000	5.50
32	1	60 x 9 = 540	8.00
MTA 6kg/cm²			
40	1¼	45 x 6 = 270	11.75
50	1½	25 x 6 = 150	19.00
63	2	133	31.50
75	2½	90	43.50
90	3	60	58.00
110	4	40	90.00
140	5	32	146.00
160	6	15	255.00



FTA 10kg/cm²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	-	4.50
25	¾	-	5.00
32	1	-	7.00
FTA 6kg/cm²			
40	1¼	-	14.00
50	1½	-	19.00
63	2	-	29.00
75	2½	-	49.00
90	3	-	66.00
110	4	-	129.00
140	5	-	216.00
160	6	-	250.00



45° Elbow 6kg/cm²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
40	1¼	-	15.00
50	1½	-	24.00
63	2	-	38.00
75	2½	-	52.00
90	3	-	80.00
110	4	-	120.00
140	5	-	290.00
160	6	-	330.00
200	8	-	700.00



End Cap Threaded 10kg/cm²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	-	2.50
25	¾	-	4.00
32	1	-	6.00
End Cap Threaded 6kg/cm²			
40	1¼	-	13.00
50	1½	-	17.00
63	2	-	23.00
75	2½	-	27.00
90	3	-	47.00
110	4	-	72.00
140	5	-	110.00
160	6	-	143.00



COUPLER 10kg/cm²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	150 x 11 = 1650	3.25
25	¾	100 x 10 = 1000	4.75
32	1	60 x 10 = 600	7.00
COUPLER 6kg/cm²			
40	1¼	250	11.50
50	1½	175	13.50
63	2	85	24.50
75	2½	85	32.50
90	3	42	54.50
110	4	39	85.00
140	5	18	147.00
160	6	12	183.00
200	8	-	400.00
COUPLER 4kg/cm²			
40	1¼	250	7.75
50	1½	256	10.75
63	2	132	16.75
75	2½	120	24.50
90	3	76	32.00
110	4	78	55.00
140	5	18	88.25
160	6	21	114.00



END CAP 10kg/cm²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	200 x 12 = 2400	3.00
25	¾	150 x 10 = 1500	4.50
32	1	100 x 9 = 900	6.00
END CAP 6kg/cm²			
40	1¼	-	12.00
50	1½	-	14.00
63	2	140	23.00
75	2½	100	30.00
90	3	92	44.00
110	4	50	52.00
140	5	38	123.00
160	6	17	148.00
180	7	18	260.00
200	8	8	350.00
END CAP 4kg/cm²			
40	1¼	-	7.00
50	1½	-	9.00
63	2	220	12.00
75	2½	150	16.00
90	3	130	27.00
110	4	84	38.00
140	5	60	68.00
160	6	45	99.00
180	7	20	162.00
200	8	16	186.00



TELL PIECE 6kg/cm²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	-	26.00
75	2½	-	28.00
90	3	45	38.00
110	4	-	59.00
140	5	22	89.00
160	6	16	107.00



REDUCER BUSH 6kg/cm²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
75 x 50	2½ x 1½	165	30.00
75 x 63	2½ x 2	165	31.00
90 x 50	3 x 1½	100	41.00
90 x 63	3 x 2	100	43.00
90 x 75	3 x 2½	100	45.00
110 x 63	4 x 2	64	60.00
110 x 75	4 x 2½	64	62.00
110 x 90	4 x 3	64	64.00
140 x 110	5 x 4	45	120.00
160 x 110	6 x 4	52	128.00



REDUCER TEE			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63 x 40	2 x 1¼	36	60.00
63 x 50	2 x 1½	36	62.00
75 x 50	2½ x 1½	-	87.00
75 x 63	2½ x 2	-	89.00
90 x 63	3 x 2	50	97.00
90 x 75	3 x 2½	45	100.00
110 x 63	4 x 2	30	126.00
110 x 75	4 x 2½	30	128.00
110 x 90	4 x 3	30	130.00



REDUCER MTA			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
25 x 20	¾ x ½	-	7.00
32 x 20	1 x ½	-	17.00
32 x 25	1 x ¾	-	13.00
40 x 32	1¼ x 1	-	22.00
50 x 40	1½ x 1¼	-	28.00
75 x 50	2½ x 1½	78	35.00
75 x 63	2½ x 2	78	38.00
90 x 63	3 x 2	45	52.00
90 x 75	3 x	45	54.00



REDUCER 10kg/cm ²			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
25 x 20	¾ x ½	120 x 10 = 1200	5.50
32 x 20	1 x ½	80 x 10 = 800	6.00
32 x 25	1 x ¾	80 x 9 = 720	6.25
REDUCER 6kg/cm ²			
40 x 25	1¼ x ¾	-	9.50
40 x 32	1¼ x 1	-	10.00
50 x 32	1½ x 1	288	15.00
50 x 40	1½ x 1¼	288	16.00
63 x 32	2 x 1	154	22.00
63 x 40	2 x 1¼	154	25.00
63 x 50	2 x 1½	154	26.00
75 x 32	2½ x 1	96	27.00
75 x 40	2½ x 1¼	96	34.00
75 x 50	2½ x 1½	96	36.00
75 x 63	2½ x 2	96	37.00
90 x 50	3 x 1½	50	40.00
90 x 63	3 x 2	50	43.00
90 x 75	3 x 2½	50	58.00
110 x 50	4 x 1½	42	63.00
110 x 63	4 x 2	42	69.00
110 x 75	4 x 2½	42	70.00
110 x 90	4 x 3	42	72.00
140 x 75	5 x 2½	18	124.00
140 x 90	5 x 3	18	126.00
140 x 110	5 x 4	18	130.00
160 x 75	6 x 2½	9	165.00
160 x 90	6 x 3	9	167.00
160 x 110	6 x 4	17	170.00
160 x 140	6 x 5	17	183.00
200 x 110	8 x 4	-	388.00
200 x 140	8 x 5	-	400.00
200 x 160	8 x 6	-	411.00
200 x 180	8 x 7	-	422.00
REDUCER 4kg/cm ²			
50 x 40	1½ x 1¼	288	11.00
63 x 32	2 x 1	140	16.00
63 x 50	2 x 1½	220	17.00
75 x 32	2½ x 1	96	25.00
75 x 50	2½ x 1½	128	26.00
75 x 63	2½ x 2	128	27.00
90 x 63	3 x 2	88	34.00
90 x 75	3 x 2½	88	36.00
110 x 63	4 x 2	78	51.00
110 x 75	4 x 2½	78	52.00
110 x 90	4 x 3	78	53.00
140 x 63	5 x 2	32	87.00
140 x 75	5 x 2½	32	90.00
140 x 90	5 x 3	32	98.00
140 x 110	5 x 4	32	100.00
160 x 75	6 x 2½	15	122.00
160 x 90	6 x 3	15	124.00
160 x 110	6 x 4	36	127.00
160 x 140	6 x 5	36	129.00



M. T. A. SET (SPECIAL THREAD)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
75	2½	100	61.00
90	3	60	93.00
110	4	30	134.00
140	5	16	250.00
160	6	10	328.00



END CAP THREADED (SPECIAL THREAD)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
75	2½	110	26.00
90	3	63	42.00
110	4	36	53.00
140	5	33	100.00
160	6	19	130.00



RRC REPAIR COUPLER 4 KG (ISI) (JOLLY)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	150	103.00
75	2½	100	146.00
90	3	65	202.00
110	4	40	296.00
140	5	25	586.00
160	6	15	858.00



RRC REPAIR COUPLER 4 KG (ISI) (RAJHANS)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	150	89.00
75	2½	100	124.00
90	3	65	168.00
110	4	40	243.00
140	5	25	475.00
160	6	15	620.00



PVC SOLVENT CEMENT		
Qty.	Master Packing	Rate Per Pc.
50 ML	48	57.00
100 ML	24	93.00
250 ML	15	158.00
500 ML	8	290.00
1 LTR.	6	532.00



A Handshake Powered by Purity...

DISCOUNT STRUCTURE	Pipes (per Kg)	Plain Fittings	Brass Fittings	Solvent	Ball Valve
cPVC					
uPVC					
SWR					
AGRI					

TERMS & CONDITIONS :

- GST Applicable.
- Prices are Ex-factory Dhoraji (Gujarat).
- Payment terms are 100% advance before delivery.
- All disputes are subject to Dhoraji Jurisdiction only.
- We are not responsible for any breakage, damage or any losses in transportation.
- All Size & Specifications are subject to change $\pm$ 5% without prior notice for better quality improvement.
- Warranty is not applicable incase of use in combination with other brand/make pipes, fittings & solvents.
- Actual product may not exactly resemble the picture depicting the products.
- This price list cancels all the previous price list and subject to change without prior notice.

A COMPLETE
PIPING
SOLUTION

CPVC | UPVC | SWR
AGRICULTURE | GARDEN PIPE

AN ISO 9001:2015 COMPANY

SINCE 1982
JOLLY
FLOW WITH CONFIDENCE

Mfg by
RAJHANS RIGID PVC PIPE INDUSTRIES
Junagadh Road, Dhoraji (Gujarat) INDIA.
E-mail : info@jollypipes.in
Website : www.jollypipes.in



  Jolly pipes & fittings